


DHC-E Sizing Guide

DHC-E Sizing Guide Single or Multiple Point Tankless Electric Water Heater

Flow GPM	DHC-E 8/10		DHC-E 12	
	at 7.2 kW 240 V Min. recommended 30 A circuit breaker	at 9.6 kW 240 V Min. recommended 40 A circuit breaker	12 kW 240 V Min. recommended 50 A circuit breaker	
Lavatory Sink	Std. 0.5			
	Med 0.75			
	High 1.0			
	Non-Code 1.5			
Kitchen Sink	Low 1.0			
	Std. 2.0			
Utility/Janitor Sink	2.0 - 3.0			
	1.0 - 2.0			
Multiple Sinks	Low 0.5	*3 *2	*4 *3	*5 *4
	High 1.5			*2
*Max. number of sinks that can be serviced by one unit				
1 Shower	Low 1.0			
	Med 1.5			
	Std. 2.5			




Recommendations are correct if unit is installed with 240 V service. Increase one model size if unit will be installed with 208 V service.

Call Stiebel Eltron at 800.582.8423 if you have any sizing questions, or if you have showers, or another out-of-the-ordinary situation. Stiebel Eltron service representatives can make recommendations on sizing, or provide assistance with our water heaters, to both homeowners and professional installers.


Scroll for temp rise charts. ↓

DHC-E Sizing Guide

Temperature Rise vs. Flow Rate at 240 V and 208 V



Temperature Rise vs. Flow Rate at 240 V



Temperature Rise vs. Flow Rate at 208 V

