


### 2016.2 MSRP FOR PLUMBING WHOLESALERS Effective December 1, 2016

#### MSRP


#### POINT-OF-USE TANKLESS ELECTRIC WATER HEATERS

Electro-mechanical models. For one tap.

<b>Mini™ Series</b>				\$199.00
231045	<b>Mini™ 2-1</b>	120 v, 1.8 kW, single phase	Restricted to 0.32 gpm. Ships with 0.5 gpm aerator	
232098	<b>Mini™ 2.5-1</b>	120 v, 2.4 kW, single phase	Ships with 0.5 gpm aerator	
220816	<b>Mini™ 3-1</b>	120 v, 3.0 kW, single phase	Ships with 0.5 gpm aerator	
232099	<b>Mini™ 3.5-1</b>	120 v, 3.5 kW, single phase	Ships with 0.66 gpm aerator	
222039	<b>Mini™ 4-2</b>	240 v 3.5 kW / 208 v 2.6 kW, single phase	Ships with 0.66 gpm aerator	
220817	<b>Mini™ 6-2</b>	240 v 5.7 kW / 208 v 4.3 kW, single phase	Ships with 1.0 gpm aerator	

Thermostatic models, electronically controlled. For one or two taps.

Adding a Stiebel Eltron TLC Assembly to a Mini™- E will meet the requirements of UPC 413.1/ASSE 1070.  
See TLC assemblies in Tankless Accessories.

<b>Mini™-E Series</b>				Factory Set Temperature \$299.00 Custom Set Temperature \$329.00
236011	<b>Mini™-E 2-1</b>	120 v, 1.8 kW, single phase	Restricted to 0.40 gpm. Ships with 0.5 gpm aerator	
236135*	<b>Mini™-E 2.5-1</b>	120 v, 2.4 kW, single phase	Ships with 0.5 gpm aerator	
236010	<b>Mini™-E 3-1</b>	120 v, 3.0 kW, single phase	Ships with 0.5 gpm aerator	
236136*	<b>Mini™-E 3.5-1</b>	120 v, 3.5 kW, single phase	Ships with 0.5 gpm aerator	
236009	<b>Mini™-E 4-2</b>	240 v 3.5 kW / 208 v 2.6 kW, single phase	Ships with 0.5 gpm aerator	
236008	<b>Mini™-E 6-2</b>	240 v 5.7 kW / 208 v 4.3 kW, single phase	Ships with (2) 0.5 gpm aerators	

Mini™-E models are factory set for 100°F output.


Custom settings are available at 95, 96, 98, 101, 102, 103, 104, 105, 106, 108 °F (within the heating limits of the model).  
Order custom set by specifying "XXXXXX-\_\_F" when ordering. (Part number followed by temperature in Farenheit.)

\*Available February 1, 2017

## POINT-OF-USE TANKLESS ELECTRIC WATER HEATERS

Electro-mechanical models. For one tap.

<b>DHC Series</b>				\$229.00
074050	<b>DHC 3-1</b>	120 v 3.0 kW, single phase	*	
074052	<b>DHC 3-2</b>	240 v 3.3 kW / 208 v 2.5 kW, single phase	*	
074053	<b>DHC 4-2</b>	240 v 3.8 kW / 208 v 2.9 kW, single phase	*	
074051	<b>DHC 4-3</b>	277 v 4.5 kW, single phase		
074054	<b>DHC 5-2</b>	240 v 4.8 kW / 208 v 3.6 kW, single phase		
074424	<b>DHC 6-2</b>	240 v 6.0 kW / 208 v 4.5 kW, single phase		
074055	<b>DHC 8-2</b>	240 v 7.2 kW / 208 v 5.4 kW, single phase		
232204	<b>DHC 9-3</b>	277 v 9.0 kW, single phase		
074056	<b>DHC 10-2</b>	240 v 9.6 kW / 208 v 7.2 kW, single phase		




\*Ships with 0.5 gpm aerator

## WHOLE HOUSE OR MULTIPLE TAPS TANKLESS ELECTRIC WATER HEATERS

Thermostatic models, electronically controlled.

Adding a Stiebel Eltron TLC Assembly to a DHC-E will meet the requirements of UPC 413.1/ASSE 1070.  
See TLC assemblies in Tankless Accessories.

<b>DHC-E</b>				
224201	<b>DHC-E 8/10</b>	240 v 7.2 kW / 208 v 5.4 kW, single phase 240 v 9.6 kW / 208 v 7.2 kW, single phase		\$319.00
		DHC-E 8/10 is two models in one! Unit is switchable to 7.2 kW or 9.6 kW during installation.		
230628	<b>DHC-E 12</b>	240 v / 208 v 12.0 kW, single phase		\$339.00



## WHOLE HOUSE OR MULTIPLE TAPS TANKLESS ELECTRIC WATER HEATERS


Electronically controlled.

Tempra® Plus models are equipped with a digital temperature display and Stiebel Eltron's exclusive Advanced Flow Control™. Tempra® B models have neither feature.


### Tempra® Plus and Tempra®

223420	<b>Tempra® 12 B</b>	240 v 12.0 kW, single phase	\$564.00
224196	<b>Tempra® 12 Plus</b>	240 v 12.0 kW, single phase	\$679.00
223421	<b>Tempra® 15 B</b>	240 v 14.4 kW, single phase	\$744.00
224197	<b>Tempra® 15 Plus</b>	240 v 14.4 kW, single phase	\$879.00
223422	<b>Tempra® 20 B</b>	240 v 19.2 kW, single phase	\$784.00
224198	<b>Tempra® 20 Plus</b>	240 v 19.2 kW, single phase	\$919.00
223424	<b>Tempra® 24 B</b>	240 v 24.0 kW, single phase	\$824.00
224199	<b>Tempra® 24 Plus</b>	240 v 24.0 kW, single phase	\$959.00
232885	<b>Tempra® 29 B</b>	240 v 28.8 kW, single phase	\$864.00
223425	<b>Tempra® 29 Plus</b>	240 v 28.8 kW, single phase	\$999.00
232886	<b>Tempra® 36 B</b>	240 v 36.0 kW, single phase	\$924.00
223426	<b>Tempra® 36 Plus</b>	240 v 36.0 kW, single phase	\$1059.00

Tempra models wired to 208 v single phase will output 75% of the 240 v rating.  
 29/29 Plus & 36/36 Plus may be wired for balanced 3-phase 208 v.  
 15/15 Plus, 20/20 Plus, 24/24 Plus may be wired for unbalanced 3-phase 208 v.



Tempra® Plus Series  
12–36 kW




Tempra® B Series  
12–36 kW

## POINT-OF-USE MINI-TANK WATER HEATERS

With T&P valve, cord with plug.

### SHC Mini-tank


233219	<b>SHC 2.5</b>	2.5 gal., 120 v, 1.3 kW, single phase	\$219.00
234046	<b>SHC 4</b>	4 gal., 120 v, 1.3 kW, single phase	\$269.00
235089	<b>SHC 6</b>	6 gal., 120 v, 1.3 kW, single phase	\$319.00



## HEAT PUMP WATER HEATER

True heat pump water heater.

233058	<b>Accelera® 220 E</b>	240 v 58 gal., 2.15 kW max power input	\$2,999.00
233059	<b>Accelera® 300 E</b>	240 v 80 gal., 2.15 kW max power input	\$3,199.00



## DOMESTIC HOT WATER STORAGE TANKS

For solar thermal, geothermal, or indirectly-fired applications.

224110	<b>SB 300 E</b> 79 gal., single coil, integral resistance element	\$2099.00
234111	<b>SB 400 E</b> 106 gal., single coil, integral resistance element	\$2499.00
221219	<b>SBB 300 S</b> 81 gal., single coil	\$1999.00
221222	<b>SBB 400 S</b> 109 gal., single coil	\$2199.00
187873	<b>SBB 300 Plus</b> 81 gal., dual coil	\$2299.00
187874	<b>SBB 400 Plus</b> 109 gal., dual coil	\$2499.00
187875	<b>SBB 600 Plus</b> 163 gal., dual coil	\$3499.00



## TANKLESS ELECTRIC WATER HEATER ACCESSORIES

502346	<b>Mini™-E TLC Assembly</b> UPC 413.1/ASSE 1070 compliant temperature limiting control for Mini™-E	\$290.00
581012	<b>DHC-E TLC Assembly</b> UPC 413.1/ASSE 1070 compliant temperature limiting control for DHC-E	\$290.00
540444	<b>Lead-free Brass Isolation Valve Kit</b> Cold inlet & hot outlet isolation valves, pressure relief valve	\$139.00
540000	<b>Flow-aid Tankless Descaling Kit</b> 3.5 Gal. bucket, 350 GPH pump, 2 5' rubber hoses, 1 qt. fluid	\$275.00
540002	<b>Flow-aid Fluid Refill</b> 1 quart	\$39.00
581331	<b>House Pure WIHP-Secure.75</b> Water filter for scale prevention, includes 1 cartridge	\$319.00
581332	<b>Replacement House Pure Cartridge</b>	\$89.00





## TOUCHLESS AUTOMATIC HAND DRYERS

Ultra-quiet.

<b>Galaxy™</b>	Alpine white ABS plastic housing		\$225.00
073009	<b>Galaxy™ 1</b>	120 v, 1.85 kW, single phase	
073010	<b>Galaxy™ 2</b>	240 v / 208 v, 2.0 kW, single phase	
<b>Galaxy™ M</b>	Aluminum alloy housing with alpine white powder coat finish		\$295.00
073724	<b>Galaxy™ M 1</b>	120 v, 1.85 kW, single phase	
073725	<b>Galaxy™ M 2</b>	240 v / 208 v, 2.0 kW, single phase	
<b>Galaxy™ M</b>	Aluminum alloy housing with metallic finish		\$315.00
073724-___	<b>Galaxy™ M 1</b>	120 v, 1.85 kW, single phase	
073725-___	<b>Galaxy™ M 2</b>	240 v / 208 v, 2.0 kW, single phase	

Insert **S** for Silver Metallic or **G** for Charcoal Gray Metallic



High speed.

<b>Ultronic™</b>	Aluminum alloy housing with alpine white powder coat finish		\$299.00
231585	<b>Ultronic™ 1 W</b>	120 v, 0.985 kW, single phase	
231587	<b>Ultronic™ 2 W</b>	240 v / 208 v, 1.0 kW, single phase	
<b>Ultronic™</b>	Aluminum alloy housing with stainless steel metallic finish		\$459.00
231584	<b>Ultronic™ 1 S</b>	120 v, 0.985 kW, single phase	
231586	<b>Ultronic™ 2 S</b>	240 v / 208 v, 1.0 kW, single phase	



## ELECTRIC SPACE HEATERS

Surface mounted.

### CK Trend fan heater Available February 1 \$149.00

236304	<b>CK 150-1 Trend</b>	120 v, 1.5 kW, single phase
236305	<b>CK 200-2 Trend</b>	240 v / 208 v, 2.0 kW, single phase

### CK fan heater \$185.00




074058	<b>CK 15E</b>	120 v, 1.5 kW, single phase
074057	<b>CK 20E</b>	240 v / 208 v, 2.0 kW, single phase

### CKT fan heater with timer \$205.00

230345	<b>CKT 15E</b>	120 v, 1.5 kW, single phase
230346	<b>CKT 20E</b>	240 v / 208 v, 2.0 kW, single phase

### CNS-E convection heater




231542	<b>CNS 50-2 E</b>	240 v / 208 v, 0.5 kW, single phase	\$149.00
232068	<b>CNS 75-2 E</b>	240 v / 208 v, 0.75 kW, single phase	\$164.00
231543	<b>CNS 100-2 E</b>	240 v / 208 v, 1.0 kW, single phase	\$174.00
231544	<b>CNS 150-2 E</b>	240 v / 208 v, 1.5 kW, single phase	\$199.00
231545	<b>CNS 200-2 E</b>	240 v / 208 v, 2.0 kW, single phase	\$224.00
231546	<b>CNS 240-2 E</b>	240 v / 208 v, 2.4 kW, single phase	\$249.00
233586	<b>CNS 100-1 E</b>	120 v, 1.0 kW, single phase	\$174.00
233587	<b>CNS 150-1 E</b>	120 v, 1.5 kW, single phase	\$199.00



## SHORT-WAVE INFRARED ELECTRIC RADIANT HEATERS

### SunWarmth™ radiant heater

234047	<b>CIR 150-1 I</b>	120 v, 1.5 kW, indoor use, supplied with cord with plug	\$249.00
234048	<b>CIR 150-1 O</b>	120 v, 1.5 kW, indoor/outdoor use, supplied with cord with plug	\$299.00
234049	<b>CIR 200-2 O</b>	240 v, 2.0 kW, indoor/outdoor use, Hard wired, supplied with cord	\$339.00
234050	<b>CIR 400-2 O</b>	240 v, 2.4 kW, indoor/outdoor use, Hard wired, supplied with cord	\$619.00



Products can be mixed in one order to get to a lower price bracket, or to get prepaid shipping. A \$75.00 crating charge applies to SBB 300 and SBB 400 tanks only. There is no crating charge for Accelera®, SB-E tanks, or SBB 600 tank.