

2023.1 MSRP FOR PLUMBING DISTRIBUTORS

Effective May 1, 2023


Direct Coil™ Electric Tankless Water Heaters | Point-Of-Use Taps

Electro-mechanical models.

Mini™

\$215.00

231045	Mini™ 2-1	single phase	120 V, 1.8 kW	Restricted to 0.32 GPM. Ships with 0.35 GPM aerator
232098	Mini™ 2.5-1	single phase	120 V, 2.4 kW	Ships with 0.5 GPM aerator
220816	Mini™ 3-1	single phase	120 V, 3.0 kW	Ships with 0.5 GPM aerator
232099	Mini™ 3.5-1	single phase	120 V, 3.5 kW	Ships with 0.50 and 0.66 GPM aerator
222039	Mini™ 4-2	single phase	240 V, 3.5 kW / 208 V, 2.6 kW	Ships with 0.50 and 0.66 GPM aerator
220817	Mini™ 6-2	single phase	240 V, 5.7 kW / 208 V, 4.3 kW	Ships with 1.0 GPM aerator




Thermostatic models, electronically controlled. For one or two taps.

Adding a Stiebel Eltron TLC Assembly to a Mini™-E will meet the requirements of UPC 413.1/ASSE 1070. See TLC assemblies in Tankless Accessories.

Mini™-E

\$315.00

236011	Mini™-E 2-1	single phase	120 V, 1.8 kW	Restricted to 0.40 GPM. Ships with 0.35 GPM aerator
236135	Mini™-E 2.5-1	single phase	120 V, 2.4 kW	Ships with 0.5 GPM aerator
236010	Mini™-E 3-1	single phase	120 V, 3.0 kW	Ships with 0.5 GPM aerator
236136	Mini™-E 3.5-1	single phase	120 V, 3.5 kW	Ships with 0.5 GPM aerator
236009	Mini™-E 4-2	single phase	240 V, 3.5 kW / 208 V, 2.6 kW	Ships with 0.5 GPM aerator
236008	Mini™-E 6-2	single phase	240 V, 5.7 kW / 208 V, 4.3 kW	Ships with (2) 0.5 GPM aerators and (1) 1.0 GPM aerator



Mini™-E models are factory set for 100°F output.

Direct Coil™ Electric Tankless Water Heaters | Whole House Or Multiple Taps

Thermostatic models, electronically controlled.

Each model is switchable via jumper to a high kW or a low kW output. Units come factory set to the high kW output. The low kW output should be set at installation if needed.


Adding a Stiebel Eltron TLC Assembly to a DHC-E will meet the requirements of UPC 413.1/ASSE 1070. See TLC assemblies in Tankless Accessories.

DHC Trend

					MSRP
200060	DHC 3/3.5-1 Trend	single phase	high output	120 V, 3.5 kW	\$292.00
			low output	120 V, 3.0 kW	
200062	DHC 4/6-2 Trend	single phase	high output	240 V, 3.8 kW / 6.0 kW	\$292.00
			low output	208 V, 2.9 kW / 4.5 kW	
200063	DHC 8/10-2 Trend	single phase	high output	240 V, 7.2 kW / 9.6 kW	\$292.00
			low output	208 V, 5.4 kW / 7.2 kW	
200064	DHC 12/15-2 Trend	single phase	high output	240 V, 12.0 kW / 14.4 kW	\$292.00
			low output	208 V, 9.0 kW / 10.8 kW	

NEW

Next generation
with direct coil
heating technology




DHC-E Trend

					MSRP
200057	DHC-E 3/3.5-1 Trend	single phase	high output	120 V, 3.5 kW	\$313.00
			low output	120 V, 3.0 kW	
200061	DHC-E 4/6-2 Trend	single phase	high output	240 V, 3.8 kW / 6.0 kW	\$337.00
			low output	208 V, 2.9 kW / 4.5 kW	
200058	DHC-E 8/10-2 Trend	single phase	high output	240 V, 7.2 kW / 9.6 kW	\$361.00
			low output	208 V, 5.4 kW / 7.2 kW	
200059	DHC-E 12/15-2 Trend	single phase	high output	240 V, 12.0 kW / 14.4 kW	\$385.00
			low output	208 V, 9.0 kW / 10.8 kW	

NEW

Next generation
with direct coil
heating technology




DHC-E Plus

					MSRP
202145	DHC-E 8/10-2 Plus	single phase	high output	240 V, 7.2 kW / 9.6 kW	\$393.00
			low output	208 V, 5.4 kW / 7.2 kW	
200056	DHC-E 12/15-2 Plus	single phase	high output	240 V, 12.0 kW / 14.4 kW	\$428.00
			low output	208 V, 9.0 kW / 10.8 kW	

NEW

Next generation
with direct coil
heating technology



DHC-E Plus is equipped with Stiebel Eltron's German-patented, industry-exclusive Advanced Flow Control™

Copper Electric Tankless Water Heaters | Point-Of-Use Taps


Electro-mechanical models.

DHC Classic Series

\$249.00

202646	DHC 3-1 Classic	single phase	120 V, 3.0 kW	*
202647	DHC 3-2 Classic	single phase	240 V, 3.3 kW / 208 V, 2.5 kW	*
202648	DHC 4-2 Classic	single phase	240 V, 3.8 kW / 208 V, 2.9 kW	*
202649	DHC 4-3 Classic	single phase	277 V, 4.5 kW	
202650	DHC 5-2 Classic	single phase	240 V, 4.8 kW / 208 V, 3.6 kW	
202651	DHC 6-2 Classic	single phase	240 V, 6.0 kW / 208 V, 4.5 kW	
202652	DHC 6-3 Classic	single phase	277 V, 6.0 kW	
202653	DHC 8-2 Classic	single phase	240 V, 7.2 kW / 208 V, 5.4 kW	
202654	DHC 9-3 Classic	single phase	277 V, 9.0 kW	
202655	DHC 10-2 Classic	single phase	240 V, 9.6 kW / 208 V, 7.2 kW	

*Ships with 0.5 GPM aerator



DHC Series replaced
by DHC Classic

still with ultra-reliable
copper heating technology

Copper Electric Tankless Water Heaters | Whole House Or Multiple Taps


Thermostatic models, electronically controlled.

Each model is switchable via jumper to a high kW or a low kW output. Units come factory set to the low kW output. The high kW output should be set at installation if needed.

Adding a Stiebel Eltron TLC Assembly to a DHC-E will meet the requirements of UPC 413.1/ASSE 1070. See TLC assemblies in Tankless Accessories.

DHC-E

203671	DHC-E 8/10-2 Classic	single phase	high output	240 V, 7.2 kW / 9.6 kW	\$319.00
			low output	208 V, 5.4 kW / 7.2 kW	
203672	DHC-E 12-2 Classic	single phase	high output	240 V, 12.0 kW	\$349.00
			low output	208 V, 9.0 kW	



Electric Tankless Booster for gas or electric tank

Electronically controlled.

MegaBoost

524201	MegaBoost	single phase	240 V, 9.6 kW / 208 V, 7.2 kW	\$399.00
--------	------------------	--------------	-------------------------------	----------



Whole House or Multiple Taps Electric Tankless Water Heaters | Electronically controlled

Tempra® Trend has a digital display for accurate temperature delivery and maximum energy efficiency.

Tempra® Plus has an enhanced digital display with monitors for cost savings and water flow, and two preset temperature memory keys.

Tempra® Plus is equipped with Stiebel Eltron's German-patented, industry-exclusive Advanced Flow Control™.


Tempra®

239213	Tempra® 12 Trend	single phase	208, 220-240 V, 12.0 kW	\$564.00
239219	Tempra® 12 Plus	single phase	208, 220-240 V, 12.0 kW	\$679.00
239214	Tempra® 15 Trend	single phase	208, 220-240 V, 14.4 kW	\$744.00
239220	Tempra® 15 Plus	single phase	208, 220-240 V, 14.4 kW	\$879.00
239215	Tempra® 20 Trend	single phase	208, 220-240 V, 19.2 kW	\$784.00
239221	Tempra® 20 Plus	single phase	208, 220-240 V, 19.2 kW	\$919.00
239216	Tempra® 24 Trend	single phase	208, 220-240 V, 24.0 kW	\$824.00
239222	Tempra® 24 Plus	single phase	208, 220-240 V, 24.0 kW	\$959.00
239217	Tempra® 29 Trend	single phase	208, 220-240 V, 28.8 kW	\$864.00
239223	Tempra® 29 Plus	single phase	208, 220-240 V, 28.8 kW	\$999.00
239218	Tempra® 36 Trend	single phase	208, 220-240 V, 36.0 kW	\$924.00
239225	Tempra® 36 Plus	single phase	208, 220-240 V, 36.0 kW	\$1059.00


Tempra® models wired to 208 v single phase will output 75% of the 240 V rating.

Tempra® 29 & 36 models may be wired for balanced 3-phase 208 V.

Tempra® 15, 20, 24 models may be wired for unbalanced 3-phase 208 V.



Tempra® Plus Series
12 – 36 kW





Tempra® Trend Series
12 – 36 kW

UltraHot™ | Instant Hot Water Dispenser

Near-boiling water dispenser with patented altitude-sensing technology that automatically sets highest output temperature.

Compatible with InSinkErator® instant hot dispenser tanks and taps

203876	UltraHot Plus™	single phase	120 V, 750 W, Residential use	\$439.00
203877	UltraHot Premium™	single phase	120 V, 1440 W, Residential or light commercial use	\$512.00
203885	UltraHot™ Mono-Tap	chrome finish	UltraHot faucet dispenses near-boiling water	\$304.00
203886	UltraHot™ Mono-Tap	brushed nickel finish	UltraHot faucet dispenses near-boiling water	\$304.00
203887	UltraHot™ 3in1 Tap	chrome finish	UltraHot faucet dispenses hot, cold, & near-boiling water	\$486.00
203888	UltraHot™ 3in1 Tap	brushed nickel finish	UltraHot faucet dispenses hot, cold, & near-boiling water	\$486.00




Mono-Tap

3in1 Tap

Tankless Accessories

502346	Mini™-E TLC Assembly	\$290.00
	UPC 413.1 compliant temperature limiting control for Mini™-E, completely assembled, includes ASSE 1070 mixing valve	
581012	DHC-E TLC Assembly	\$290.00
	UPC 413.1 compliant temperature limiting control for DHC-E, completely assembled, includes ASSE 1070 mixing valve	
550457	ASSE 1070 Mixing Valve for Mini™-E	\$99.00
	3/8" comp. mixing valve alone for Mini™-E	
550455	ASSE 1070 Mixing Valve for DHC-E	\$99.00
	1/2" mixing valve alone for DHC-E	
540444	Lead-free Brass Isolation Valve Kit	\$189.00
	Cold inlet & hot outlet isolation valves, pressure relief valve	
540000	Flow-aide Tankless Descaling Kit	\$275.00
	3.5 gal. bucket, 350 GPH pump, 2 5' rubber hoses, 1 qt. fluid	
540002	Flow-aide Fluid Refill	\$39.00
	1 quart	
692500	Scale TAC-ler Plus	\$579.00
	6 GPM water conditioner for scale prevention, includes 1 cartridge	
692501	Scale TAC-ler Premium Installation Kit	\$179.00
	Kit includes flexible pipe, fittings, ball valves, teflon pipe joint tape	
692502	Replacement Scale TAC-ler Cartridge	\$423.00
	Cartridges have approximate 2-year life	




Small Tank Electric Water Heaters | Point-Of-Use or Whole House

With T&P valve installed.


SHC Mini-tank

233219	SHC 2.5	2.5 gal., 120 V, 1.3 kW, single phase	\$229.00
234046	SHC 4	4 gal., 120 V, 1.3 kW, single phase	\$279.00
235089	SHC 6	6 gal., 120 V, 1.3 kW, single phase	\$319.00



PSH Wall-mounted tank


235968	PSH 20 Plus	21 gal., 240 V, 3.27 kW, single phase	\$749.00
235969	PSH 30 Plus	32 gal., 240 V, 3.27 kW, single phase	\$799.00
328651	PSH Plus Drain Pan	wall-mounted	\$69.00



Heat Pump Water Heaters

True heat pump water heater.


233058	Accelera® 220 E 240 V	\$2999.00
	58 gal., 2.15 kW max power input	
233059	Accelera® 300 E 240 V	\$3199.00
	80 gal., 2.15 kW max power input	



Domestic Hot Water Storage Tanks

For solar thermal, geothermal, or indirectly-fired applications.

234110	SB 300 E	79 gal., single coil, integral resistance element	\$2099.00
234111	SB 400 E	106 gal., single coil, integral resistance element	\$2499.00
187873	SBB 300 Plus	81 gal., dual coil	\$2299.00
187874	SBB 400 Plus	109 gal., dual coil	\$2499.00
187875	SBB 600 Plus	163 gal., dual coil	\$2899.00




Electric Space Heaters | Surface-mounted Fan

CK Trend \$149.00

236304	CK 150-1 Trend	120 V, 1.5 kW, single phase
236305	CK 200-2 Trend	240 V, 2.0 kW / 208 V, 1.8 kW, single phase


120 volt & 240 volt models hardwired.



CK Plus \$249.00

202031	CK 150-1 Plus	120 V, 1.5 kW, single phase
202032	CK 200-2 Plus	240 V, 2.0 kW / 208 V, 1.5 kW, single phase

120 volt models equipped with cord and plug. 240 volt models hardwired.



CK Premium \$286.00

202033	CK 150-1 Premium	120 V, 1.5 kW, single phase
202034	CK 200-2 Premium	240 V, 2.0 kW / 208 V, 1.5 kW, single phase

120 volt models equipped with cord and plug. 240 volt models hardwired.




Electric Space Heaters | Surface-mounted Convection

CON Premium convection heater

202025	CON 100-1 Premium	120 V, 1.0 kW, single phase	\$274.00
202026	CON 150-1 Premium	120 V, 1.5 kW, single phase	\$311.00
202027	CON 100-2 Premium	240 V, 1.0 kW / 208 V, .75 kW, single phase	\$274.00
202028	CON 150-2 Premium	240 V, 1.5 kW / 208 V, 1.125 kW, single phase	\$311.00
202029	CON 200-2 Premium	240 V, 2.0 kW / 208 V, 1.5 kW, single phase	\$336.00
202030	CON 300-2 Premium	240 V, 3.0 kW / 208 V, 2.25 kW, single phase	\$374.00

120 volt models equipped with cord and plug. 240 volt models hardwired.

NEW
CON Premium




CNS Trend convection heater

201991	CNS 100-1 Trend	120 V, 1.0 kW, single phase	\$199.00
201992	CNS 150-2 Trend	240 V, 1.5 kW / 208 V, 1.125 kW, single phase	\$236.00

120 volt model equipped with cord and plug. 240 volt model hardwired.

NEW




CNS Plus convection heater

201994	CNS 100-1 Plus	120 V, 1.0 kW, single phase	\$249.00
201996	CNS 150-1 Plus	120 V, 1.5 kW, single phase	\$286.00
201997	CNS 100-2 Plus	240 V, 1.0 kW / 208 V, .75 kW, single phase	\$249.00
201998	CNS 150-2 Plus	240 V, 1.5 kW / 208 V, 1.125 kW, single phase	\$286.00
201999	CNS 200-2 Plus	240 V, 2.0 kW / 208 V, 1.5 kW, single phase	\$324.00
202000	CNS 300-2 Plus	240 V, 3.0 kW / 208 V, 2.25 kW, single phase	\$361.00

120 volt models equipped with cord and plug. 240 volt models hardwired.

NEW
CNS Plus



Digital control
on CNS Plus




Touchless Automatic Hand Dryers

Ultra-quiet.


Galaxy™ Alpine white ABS plastic housing \$225.00

073009	Galaxy™ 1	120 V, 1.85 kW, single phase
073010	Galaxy™ 2	240 V, 2.0 kW / 208 V, 1.5 kW, single phase



Galaxy™ M Aluminum alloy housing with alpine white powder coat finish \$295.00

073724	Galaxy™ M 1	120 V, 1.85 kW, single phase
073725	Galaxy™ M 2	240 V, 2.0 kW / 208 V, 1.5 kW, single phase



Galaxy™ M Aluminum alloy housing with metallic finish \$315.00


073724-__	Galaxy™ M 1	120 V, 1.85 kW, single phase
073725-__	Galaxy™ M 2	240 V, 2.0 kW / 208 V, 1.5 kW, single phase

Insert **S** for Silver Metallic or **G** for Charcoal Gray Metallic

High speed.

Ultronic™ Aluminum alloy housing with alpine white powder coat finish \$299.00

231585	Ultronic™ 1 W	120 V, 0.985 kW, single phase
231587	Ultronic™ 2 W	240 V, 1.0 kW / 208 V, .775 kW, single phase



Ultronic™ Aluminum alloy housing with stainless steel metallic finish \$459.00

231584	Ultronic™ 1 S	120 V, 0.985 kW, single phase
231586	Ultronic™ 2 S	240 V, 1.0 kW / 208 V, .775 kW, single phase

Products can be mixed in one order to get to a lower price bracket, or to get prepaid shipping. A \$75.00 crating charge applies to SBB 300 and SBB 400 tanks only. There is no crating charge for the Accelera®, SB-E tanks, or the SBB 600 tank. The Accelera®, SB-E tanks, and SBB tanks are always FOB West Hatfield.